Appendix C - EVV Visit Transaction Layout Version 4.0 Published Date: 09/16/2024 Effective Date: 03/12/2025

NOTE: The EVV Visit Transaction file must be in pipe delimited format. Starting with Proprietary System v3.0 and State Pool System v10.0 business rules, data elements shown as Retired will no longer be used in the EVV Aggregator. The EVV System is not required to populate these fields as of the effective date of the business rules. New fields added to the EVV Visit Transaction File effective August 1, 2023 are shown in blue.

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|---|-----------------------------|--------|------------|--------|---|---|
| Header record | 1 | This header record contains HHSC approved EVV vendor data transfer headers for all extract data elements contained in this file. | | 0 | | | | |
| File record | 1 | PROVIDER_TIN | Required | 30 | Varchar | | | Provider Taxpayer Identification Number: A unique Identifier assigned by the Social Security Administration or Internal Revenue Service (IRS) to a Program Provider or Financial Management Services Agency (FMSA) for tax purposes. |
| File record | 2 | PROVIDER_NPI | Conditionally Required | 10 | Varchar | | | Provider National Provider Identifier (NPI): A Health Insurance Portability and Accountability Act (HIPAA) mandated unique identifier assigned by the Centers for Medicare and Medicaid Services (CMS) to a healthcare Program Provider or Financial Management Services Agency (FMSA). |
| File record | 3 | PROVIDER_API | Conditionally Required | 10 | Varchar | | | Provider Atypical Provider Identifier (API): A unique identifier assigned to a Program Provider or Financial Management Services Agency (FMSA) who does not provide healthcare services (i.e. Respite, transportation). Medicaid or State Issued API number. |
| File record | 4 | PROVIDER_TPI | Retired | 9 | Varchar | | | Texas Provider Identifier (TPI): A unique identifier assigned by the Claims Administrator to a Program Provider or Financial Management Services Agency (FMSA) delivering Acute Care fee-for-service services in Texas. |
| File record | 5 | PROVIDER_LEGALNAME | Required | 50 | Varchar | | | Provider Legal Name: Provider Agency or Financial Management Services Agency (FMSA) legal name. |
| File record | 6 | PROVIDER_DBA | Optional | 50 | Varchar | | | Provider Doing Business As Name: Program Provider or Financial Management Services Agency (FMSA) Doing Business As name. This is a name that a person or business uses, other than their official name, in order to transact business. |
| File record | 7 | PROVIDER_CONTRACTNUMBER | Conditionally Required | 9 | Number | | | Provider Contract Number: A unique number assigned by HHSC when a Program Provider/FMSA contracts directly with HHSC to provide Long Term Services and Supports (aka Long Term Care) program services. |
| File record | 8 | PROVIDER_ADDRESS1 | Retired | 50 | Varchar | | | Provider Address Line 1: Mailing address for the Program Provider or Financial Management Services Agency (FMSA). This address may be the same for many different office locations. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|-------------------------------|-----------------------------|--------|------------|----------|---|--|
| File record | 9 | PROVIDER_ADDRESS2 | Retired | 50 | Varchar | | | Provider Address Line 2: Additional mailing address information for the Program Provider or Financial Management Services Agency (FMSA). This address may be the same for many different office locations. |
| File record | 10 | PROVIDER_CITY | Retired | 50 | Varchar | | | Provider City: The city where the Program Provider or Financial Management Services Agency (FMSA) address is located. |
| File record | 11 | PROVIDER_STATE | Retired | 2 | Varchar | | | Provider State: The state where the Program Provider or Financial Management Services Agency (FMSA) address is located. |
| File record | 12 | PROVIDER_ZIP | Retired | 5 | Number | | | Provider Zip: The zip code for which the Program Provider or Financial Management Services Agency (FMSA) address is located. |
| File record | 13 | PROVIDER_LOCATIONID | Retired | 30 | Varchar | | | Provider Location Identification: A number assigned by the Program Provider or Financial Management Services Agency (FMSA) for a particular physical address from which services are provided. |
| File record | 14 | PROVIDER_REGION | Retired | 2 | Number | | | HHSC Provider Region: The location of where the Program Provider or Financial Management Services Agency (FMSA) is located. HHSC Medicaid LTC has 11 regions. |
| File record | 15 | PROVIDER_EVVEFFDATE | Retired | 8 | Date | MMDDYYYY | | Provider Electronic Visit Verification Effective Date: The date the Program Provider or Financial Management Services Agency (FMSA) became effective in the EVV System. This is the first verified visit date by the Program Provider or FMSA. |
| File record | 16 | PROVIDER_EVVENDDATE | Retired | 8 | Date | MMDDYYYY | | Provider Electronic Visit Verification End Date: The date the Program Provider or Financial Management Services Agency (FMSA) terminates from the EVV System. |
| File record | 17 | EMPLOYEE_EMPLOYEEID | Required | 30 | Varchar | | | Service Provider Identification: An identifier assigned to the Service Provider by his or her employer for HR and payroll purposes. |
| File record | 18 | EMPLOYEE_SOCSEC_VISA_PASSPORT | Required | 54 | Varchar | | | Service Provider Social Security Visa Passport: An identifier assigned to the Service Provider/CDS Employee which consists of the last four digits of a Service Provider's SSN or passport number concatenated with the Service Provider's last name. Referred to as the Texas EVV Service Provider ID in the Business Rule documentation. |
| File record | 19 | EMPLOYEE_EMPLOYEEDISCIPLINE | Required | 30 | Varchar | | Attendant Certified Nurse Aide Home Health Aide Licensed Vocational Nurse Occupational Therapist Occupational Therapist Asst Other Physical Therapist Physical Therapist Asst Registered Nurse | Service Provider Discipline: Credentials of the Service Provider. |
| File record | 20 | EMPLOYEE_FIRSTNAME | Required | 50 | Varchar | ł | | Service Provider First Name: The Service Provider's first name. |
| File record | 21 | EMPLOYEE_LASTNAME | Required | 50 | Varchar | 1 | | Service Provider Last Name: The Service Provider's last name. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|-------------------------------|-----------------------------|--------|------------|----------|--|--|
| File record | 22 | EMPLOYEE_EVVID | Required | 30 | Varchar | | | Electronic Visit Verification Identification: The Service Provider EVV System identifier number. This Identifier is assigned by the EVV System. |
| File record | 23 | EMPLOYEE_STARTDATE | Retired | 8 | Date | MMDDYYYY | | Service Provider Start Date: The Service Provider start date. This is the date when the Service Provider became active on the EVV System. |
| File record | 24 | EMPLOYEE_ENDDATE | Retired | 8 | Date | MMDDYYYY | | Service Provider End Date: The Service Provider end date. This is the date when the Service Provider was terminated on the EVV System. |
| File record | 25 | EMPLOYEE_EVVUSERID | Conditionally Required | 30 | Varchar | | | Electronic Visit Verification User Identification: This is the unique identifier assigned by the EVV System and used by the System User to access the EVV System to perform Visit Maintenance. This identifier and Password are required credentials for logging onto the EVV System. |
| File record | 26 | EMPLOYEE_EVVUSERFIRSTNAME | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification User First Name: The first name of the System User that last performed Visit Maintenance. |
| File record | 27 | EMPLOYEE_EVVUSERLASTNAME | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification User Last Name: The last name of the System User that last performed Visit Maintenance. |
| File record | 28 | EMPLOYEE_CDSEMPLOYEREVVID | Conditionally Required | 30 | Varchar | | | Consumer Directed Services Employer Electronic Visit Verification Identification: CDS employer identifier (if different from the individual receiving services e.g., a parent or guardian) assigned by the EVV System. |
| File record | 29 | EMPLOYEE_CDSEMPLOYERFIRSTNAME | Conditionally Required | 50 | Varchar | | | Consumer Directed Services Employer First Name: CDS employer first name (if different from the individual receiving services- e.g. a parent or guardian). |
| File record | 30 | EMPLOYEE_CDSEMPLOYERLASTNAME | Conditionally Required | 50 | Varchar | | | Consumer Directed Services Employer Last Name: CDS employer last name (if different from the individual receiving services- e.g. a parent or guardian). |
| File record | 31 | INDVMBR_PAYOR | Required | 4 | Varchar | | AET, AGP, BCB, CFC, CHS, CKC, CMC, DRC, HHSC, LTC, MOL, SHP, TXC, UHC, CHC, SET, EP1, PRK, SCW, FCR | Individual/Member Payor: A unique identifier assigned to the payor, which is obtained through the Payer Plan Code Web Service. |
| File record | 32 | INDVMBR_FIRSTNAME | Required | 50 | Varchar | | | Individual/Member First Name: The first name of the individual/member receiving services. |
| File record | 33 | INDVMBR_LASTNAME | Required | 50 | Varchar | | | Individual/Member Last Name: The last name of the individual/member receiving services. |
| File record | 34 | INDVMBR_MEDICAIDID | Required | 9 | Varchar | | | Invoice Individual/Member Medicaid Identification: The individual's/member's Medicaid ID number. |
| File record | 35 | INDVMBR_MEMBERDOB | Required | 8 | Date | MMDDYYYY | | Individual/Member Date of Birth: The individual's/member's date of birth. |
| File record | 36 | INDVMBR_MEMBEREVVID | Required | 30 | Varchar | | | Individual/Member Electronic Visit Verification Identification: The unique individual /Member's EVV System identifier number. This identifier is assigned by the EVV System. |
| File record | 37 | INDVMBR_STARTDATE | Retired | 8 | Date | MMDDYYYY | | Individual/Member Start Date: The start date of when the individual/member became Medicaid eligible. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|----------------------------------|-----------------------------|--------|------------|----------------|---|--|
| File record | 38 | INDVMBR_ENDDATE | Retired | 8 | Date | MMDDYYYY | | Individual/Member End Date: The end date of when the individual/member became Medicaid eligible. |
| File record | 39 | INDVMBR_PRIORITY | Retired | 1 | Varchar | | | Individual/Member Priority: A numerical value assigned to the individual/member by the Program Provider or Financial Management Services Agency (FMSA) based on their level of need. https://hhs.texas.gov/laws-regulations/handbooks/hcs/section-5000- level-care-level-need |
| File record | 40 | INDVMBR_PHONE | Conditionally Required | 10 | Varchar | | | Individual/Member Phone: The primary phone number registered for EVV phone calls for the individual/member receiving services. |
| File record | 41 | INDVMBR_ALTPHONE | Optional | 10 | Varchar | | | Individual/Member Alternative Phone: A secondary (additional) landline phone number registered for EVV landline telephone calls to the individual/member receiving services. |
| File record | 42 | INDVMBR_ALTPHONE2 | Optional | 10 | Varchar | | | Individual/Member Alternative Phone 2: Another secondary (additional) landline phone number registered for EVV landline telephone calls to the individual/member receiving services. |
| File record | 43 | MCO_MBR_SDA | Conditionally Required | 2 | Varchar | | | Managed Care Organization (MCO) Plan code for which the member is enrolled. Member MCO Plan Code is available in the Payer Plan Code Web Service. |
| File record | 44 | INDVMBR_ADDRESS_LATITUDE | Conditionally Required | 50 | Varchar | | | Individual/Member Address Latitude: The latitude of the individual's/member's address. This is pre saved information in the EVV System (Based on the individual/member's address) |
| File record | 45 | INDVMBR_ADDRESS_LONGITUDE | Conditionally Required | 50 | Varchar | | | Individual/Member Address Longitude: The longitude of the individual's/member's address. This is pre saved information in the EVV System (Based on the individual/member's address) |
| File record | 46 | INDVMBR_TOTAL_AUTHUNITS | Retired | 11 | Number | NNNNNNN. NN | | Individual/Member Total Authorized Units: The total number of units authorized for an individual/member for a service to be delivered for a given time period. |
| File record | 47 | AUTH_UNITS_TYPE | Retired | 10 | Varchar | | | Individual/Member Authorized Units Type: The type of units authorized. Can be daily, weekly, monthly or per auth. |
| File record | 48 | INDVMBR_TOTAL_AUTHUNITSREMAINING | Retired | 11 | Number | NNNNNNN. NN | | Individual/Member Total Authorized Units Remaining: The total number of units remaining for an individual/member for a service to be delivered for a given time period. This is the value after the delivery of the units of service. |
| File record | 49 | VISIT_VISITID | Required | 30 | Varchar | | | Electronic Visit Verification Visit Identification: A unique ID number assigned to the EVV Visit by the EVV System. |
| File record | 50 | VISIT_SCHEDULEID | Optional | 30 | Varchar | | | Schedule Identification: A unique identifier number assigned to the scheduled visit by the EVV System. |
| File record | 51 | VISIT_VISITDATE | Optional | 8 | Date | MMDDYYYY | | Scheduled Visit Date: The date that the System User scheduled the Service Provider to perform services for the individual/member. Captured for a Daily Fixed Schedule or a Daily Variable Schedule. Weekly Variable Schedule Begin Date is populated for Weekly Variable Schedule. Null for No Schedule. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|----------------------|-----------------------------|--------|------------|----------------------|---|---|
| File record | 52 | VISIT_VISITTIMEIN | Optional | 17 | Date | MMDDYYYY HH:MM AM | | Scheduled Visit Time In: Scheduled service delivery start time in date/time format. Captured for a Daily Fixed Schedule or a Daily Variable Schedule. Captured for a Weekly Variable Schedule if entered by the System User or Null for Weekly Variable Schedule if not entered by the System User. Null for No Schedule. |
| File record | 53 | VISIT_VISITTIMEOUT | Optional | 17 | Date | MMDDYYYY HH:MM AM | | Scheduled Visit Time In: Scheduled service delivery start time in date/time format. Captured for a Daily Fixed Schedule or a Daily Variable Schedule. Captured for a Weekly Variable Scheduled if entered by the System User or Null for Weekly Variable Schedule if not entered by the System User. Null for No Schedule. |
| File record | 54 | VISIT_VISITHOURS | Optional | 5 | Number | NN.NN | | Scheduled Visit Hours: Duration of services provided to the individual/member, shown as a decimal (Example: 1.25). Captured for a Daily Fixed Schedule or a Daily Variable Schedule. Total Weekly Scheduled Hours is populated for Weekly Variable Schedule. Null for No Schedule. |
| File record | 55 | VISIT_VISITLOCATION | Optional | 50 | Varchar | | Member Home, Community, Family Home, Neighbor Home | Scheduled Visit Location: The scheduled location where services are to be provided. |
| File record | 56 | VISIT_SVCGRP | Conditionally Required | 3 | Number | | Full list can be found on HHSC Service Group/Service Code List | Visit Service Group: A code assigned by HHSC for the Long Term Services and Supports (aka Long Term Care) fee-for-service program through which the Individual is receiving services. |
| File record | 57 | EVV_SVCCODE | Conditionally Required | 50 | Varchar | | | Visit Service Code: A code to denote a specific service or category of service within the Long Term Services and Supports (aka Long Term Care) fee-for-service program at HHSC. Example: HHSC Service Code- Specific services provided within a program (Svc Grp 7+Svc Code 17C = Family Care, but Svc Grp 7+ Svc Code 17CV = Family Care in the Consumer Directed Services (CDS) option) |
| File record | 58 | EVV_HCPCS_CODE | Required | 30 | Varchar | | | The Healthcare Common Procedure Coding System (HCPCS) Code: A medical code set that identifies health care procedures, equipment, and supplies for claim submission purposes. |
| File record | 59 | EVV_MODIFIER | Optional | 30 | Varchar | | | The Healthcare Common Procedure Coding System (HCPCS) Modifier: Two alphanumeric characters that are appended to the HCPCS codes to differentiate between services. There may be none or up to four modifiers for the HCPCS codes. |
| File record | 60 | EVV_VISITDATE | Required | 8 | Date | MMDDYYYY | | Actual Visit Date; EVV_VisitDate (actual visit) must be on or after Visit_VisitDate (scheduled visit) |
| File record | 61 | EVV_CREATEDDATETIME | Required | 17 | Date | MMDDYYYY HH:MM AM | | Created Date/Time: The date/time stamp assigned by the EVV System on the date a valid clock in and clock out or the date a manual visit is created in the EVV System. Must be captured in local time zone. |
| File record | 62 | evv_phone | Conditionally Required | 10 | Varchar | | | Electronic Visit Verification Phone: The phone number used to Clock in for an Electronically Generated visit. Must be null for a manually entered (GUI) visit. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|------------------------|-----------------------------|--------|------------|----------------------|--|--|
| File record | 63 | evv_callintime | Conditionally Required | 17 | Date | MMDDYYYY HH:MM AM | | Actual Call In Time: The date/time the Service Provider actually called in indicating service delivery started. Must be captured from an HHSC approved electronic verification method (Landline, Mobile or Alternative device). Must be Null for manually entered (GUI) visits. Must be captured in local time zone. |
| File record | 64 | EVV_CALLOUTTIME | Conditionally Required | 17 | Date | MMDDYYYY HH:MM AM | | Actual Call Out Time: The date/time the Service Provider actually called in indicating service delivery ended. Must be captured from an HHSC approved electronic verification method (Landline, Mobile or Alternative device). Must be Null for manually entered (GUI) visits. Must be captured in local time zone. |
| File record | 65 | EVV_ACTUALHOURS | Conditionally Required | 5 | Number | NN.NN | | Actual Hours: EVV System calculated duration in Hours and Minutes (NN.NN) Difference between electronically captured EVV_CALLINTIME and EVV_CALLOUTTIME. Must be Null for manually entered (GUI) visits. |
| File record | 66 | EVV_PAYHOURS | Required | 5 | Number | NN.NN | | Calculated as the difference between the Bill Time Out and Bill Time In, minus the amount of time spent on Non-EVV Services, rounded to the nearest quarter hour increment. |
| File record | 67 | EVV_UNITS | Required | 11 | Number | NNNNNNN. NN | | Electronic Visit Verification Units: The number of units calculated by the EVV System using the EVV_PAYHOURS (Bill Hours) and the Unit Type in the Bill Code Table for the service on the visit. |
| File record | 68 | EVV_VISITLOCATION | Required | 50 | Varchar | | Member Home, Community, Family Home, Neighbor Home | Actual Clock In Visit Location: The location where services are being provided during Clock In. |
| File record | 69 | EVV_VISIT_LATITUDE_IN | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Visit Latitude In: The latitude of the visit location using the GPS location on a mobile method for the call in time. Data may be Null unless a mobile method approved by HHSC was used. |
| File record | 70 | EVV_VISIT_LONGITUDE_IN | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Visit Longitude In: The longitude of the visit location using the GPS location on a mobile method for the call in time. Must be captured when a mobile device is used. |
| File record | 71 | EVV_LEARNED_LOCATION | Retired | 1 | Varchar | | | Electronic Visit Verification Learned Location: An indicator that specifies if an EVV location was learned via mobile method coordinates. Data may be Null unless a mobile method approved by HHSC was used. Must be captured when a mobile device is used. |
| File record | 72 | EVV_LAT_LONG_MATCH_IN | Optional | 1 | Varchar | Y,N | Y,N | Latitude Longitude Match In: System assigned. Indicates that the Visit clock in latitude and longitude match the Member Home Geo-location. |
| File record | 73 | EVV_INPUTMETHOD_IN | Required | 50 | Varchar | | Landline Alternative Device Mobile Method GUI | Electronic Visit Verification Input Method In: The method used for clock in. Must be 'GUI' for manually entered visits. |
| File record | 74 | EVV_INPUTMETHOD_OUT | Required | 50 | Varchar | | Landline Alternative Device Mobile Method GUI | Electronic Visit Verification Input Method Out: The method used for clock out. Must be 'GUI' for manually entered visits. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|-------------------------|-----------------------------|--------|------------|--------|---|--|
| File record | 75 | EVV_ALTERNATIVEDEVICEID | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Alternative Device Identification: The serial number or unique device identifier for an alternative device. |
| File record | 76 | EVV_REASONCODE1 | Conditionally Required | 3 | Number | | | Electronic Visit Verification Reason Code 1: The first reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 77 | EVV_REASONCODE1DESC | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Reason Code 1 Description: A narrative description of the EVV Reason Code 1 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 78 | EVV_REASONCODE1COMMENT | Conditionally Required | 500 | Varchar | | | Electronic Visit Verification Reason Code 1 Comment: Additional comments regarding the EVV Reason Code 1 value. |
| File record | 79 | EVV_REASONCODE2 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 2: The second reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 80 | EVV_REASONCODE2DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 2 Description: A narrative description of the EVV Reason Code 2 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 81 | EVV_REASONCODE2COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 2 Comment: Additional comments regarding the EVV Reason Code 2 value. |
| File record | 82 | EVV_REASONCODE3 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 3: The third reason code that explains why maintenance occurred on an EVV transaction. |
| File record | 83 | EVV_REASONCODE3DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 3 Description: A narrative description of the EVV Reason Code 3 value. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 84 | EVV_REASONCODE3COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 3 Comment: Additional comments regarding the EVV Reason Code 3 value. |
| File record | 85 | EVV_REASONCODE4 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 4: The fourth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 86 | EVV_REASONCODE4DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 4 Description: A narrative description of the EVV Reason Code 4 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 87 | EVV_REASONCODE4COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 4 Comment: Additional comments regarding the EVV Reason Code 4 value. |
| File record | 88 | EVV_REASONCODE5 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 5: The fifth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 89 | EVV_REASONCODE5DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 5 Description: A narrative description of the EVV Reason Code 5 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|------------------------|-----------------------------|--------|------------|--------|---|---|
| File record | 90 | EVV_REASONCODE5COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 5 Comment: Additional comments regarding the EVV Reason Code 5 value. |
| File record | 91 | EVV_REASONCODE6 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 6: The sixth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 92 | EVV_REASONCODE6DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 6 Description: A narrative description of the EVV Reason Code 6 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 93 | EVV_REASONCODE6COMMENT | Optional | 500 | Varchar | | | Reason Code Full Comment Text field - full text entry Electronic Visit Verification Reason Code 6 Comment: Additional comments regarding the EVV Reason Code 6 value. |
| File record | 94 | EVV_REASONCODE7 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 7: The seventh reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 95 | EVV_REASONCODE7DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 7 Description: A narrative description of the EVV Reason Code 7 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 96 | EVV_REASONCODE7COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 7 Comment: Additional comments regarding the EVV Reason Code 7 value. |
| File record | 97 | EVV_REASONCODE8 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 8: The eighth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 98 | EVV_REASONCODE8DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 8 Description: A narrative description of the EVV Reason Code 8 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 99 | EVV_REASONCODE8COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 8 Comment: Additional comments regarding the EVV Reason Code 8 value. |
| File record | 100 | EVV_REASONCODE9 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 9: The ninth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 101 | EVV_REASONCODE9DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 9 Description: A narrative description of the EVV Reason Code 9 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 102 | EVV_REASONCODE9COMMENT | Optional | 500 | Varchar | | | Reason Code Full Comment Text field - full text entry Electronic Visit Verification Reason Code 9 Comment: Additional comments regarding the EVV Reason Code 9 value. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|--------------------------|-----------------------------|--------|------------|----------------------|---|---|
| File record | 103 | EVV_REASONCODE10 | Optional | 3 | Number | | | Electronic Visit Verification Reason Code 10: The tenth reason code that explains why maintenance occurred on an EVV transaction. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 104 | EVV_REASONCODE10DESC | Optional | 50 | Varchar | | | Electronic Visit Verification Reason Code 10 Description: A narrative description of the EVV Reason Code 10 value. There is a preset combination of Reason Code and Reason Code Descriptions. Refer to the HHSC EVV Reason Codes Table for valid values. |
| File record | 105 | EVV_REASONCODE10COMMENT | Optional | 500 | Varchar | | | Electronic Visit Verification Reason Code 10 Comment: Additional comments regarding the EVV Reason Code 10 value. |
| File record | 106 | EVV_OVERALLREASONCODE | Retired | 2 | Varchar | | Null, P, NP | HHSC no longer uses the Overall Reason Code field. This field should be populated as Null. If a value is captured, it must be a "P" or "NP". |
| File record | 107 | EVV_VISITNOTES | Optional | 500 | Varchar | | | Visit Notes: Additional information (if any) related to the visit, needs to be added to the Visit Notes field. |
| File record | 108 | EVV_LASTVISITMAINT | Conditionally Required | 17 | Date | MMDDYYYY HH:MM AM | | Last Visit Maintenance: The date that the System User made the most recent change to one or more fields within the EVV Visit Transaction after the System User/Service Provider initially documented the Visit. The fields identified as impacting the last visit maintenance date are documented in the HHSC EVV Policy Handbook. Must be captured in local time zone. |
| File record | 109 | EVV_UPLOADINDICATOR | Retired | 2 | Varchar | | | Electronic Visit Verification Upload Indicator: An indicator that specifies if a visit was finalized and uploaded (transferred) to the EVV Aggregator. |
| File record | 110 | EVV_LASTUPLOAD | Retired | 17 | Date | MMDDYYYY HH:MM AM | | Electronic Visit Verification Last Upload: The last date a visit was finalized and uploaded (transferred) to the EVV Aggregator. |
| File record | 111 | EVV_VENDORID | Required | 30 | Varchar | | | Electronic Visit Verification Vendor Identification: EVV System name. EVV_VendorID is assigned by MES Service Provider. EVV_VendorID is first part of the incoming file name. |
| File record | 112 | EVV_FILEEXPORTID | Required | 30 | Varchar | | | Electronic Visit Verification File Export Identification: A specific upload identifier assigned to each data file export by the EVV System. |
| File record | 113 | EVV_DONOTEXPORTINDICATOR | Retired | 1 | Varchar | | | Electronic Visit Verification Do Not Export Indicator: An indicator that specifies if a visit has been manually flagged by a Program Provider or Financial Management Services Agency (FMSA) to not export to the EVV Aggregator. |
| File record | 114 | EVV_AUTOCONFIRMFLAG | Required | 2 | Varchar | | | Electronic Visit Verification Auto Confirm Flag: An indicator that specifies if a visit was auto-verified by the EVV System and no visit maintenance was required. Flag should be set to 'Y' if visit initially auto- verified. Flag should be set to 'N' if visit did not initially auto-verify. Flag should not change with an update to the visit. |
| File record | 115 | EVV_VISITRECORDINDICATOR | Required | 30 | Varchar | | New Updated Cancelled | Electronic Visit Verification Visit Record Indicator: An indicator that specifies the status of the EVV visit transaction. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|---------------------------------|-----------------------------|--------|------------|----------------------|---|---|
| File record | 116 | EVV_VISIT_LATITUDE_OUT | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Visit Latitude Out: The latitude of the GPS location on a mobile method for the clock out. Must be captured when a mobile device is used. |
| File record | 117 | EVV_VISIT_LONGITUDE_OUT | Conditionally Required | 50 | Varchar | | | Electronic Visit Verification Visit Longitude Out: The longitude of the GPS location on a mobile method for the clock out. Must be captured when a mobile device is used. |
| File record | 118 | EVV_MATERIAL_VM_CHANGE | Retired | 1 | Varchar | Y,N | Y,N | Visit Maintenance Material Change: Indicates if a Material visit maintenance change was made. |
| File record | 119 | EVV_MATERIAL_VM_FIELD_ID | Retired | 50 | Varchar | | | Visit Maintenance Material Change Field Identification: Lists the Field identifier of each 'material change' field that was updated during visit maintenance, delimited by a comma. |
| File record | 120 | EVV_LAT_LONG_MATCH_OUT | Optional | 1 | Varchar | Y,N | Y,N | Latitude Longitude Match: System assigned. Indicates that the Visit clock out latitude and longitude match the Member Home Geo- location. |
| File record | 121 | VISIT_SCHEDULE_TYPE | Required | 50 | Varchar | | Weekly Variable Schedule, Daily Variable Schedule, Daily Fixed Schedule, No Schedule, Alternate Schedule | Schedule Type: The type of Schedule. Can be Weekly Variable Schedule, Daily Variable Schedule, Daily Fixed Schedule, No Schedule, Alternate Schedule. |
| File record | 122 | EVV_PHONE_OUT | Conditionally Required | 10 | Varchar | | | EVV Phone Out: The phone number used to Clock Out for an electronically generated visit. Must be null for a manually entered (GUI) visit. |
| File record | 123 | EVV_VISITLOCATION_OUT | Required | 50 | Varchar | | Member Home, Community, Family Home, Neighbor Home | Actual Clock Out Visit Location: The location where services are being provided during Clock Out. |
| File record | 124 | EVV_BILL_TIME_IN | Required | 17 | Date | MMDDYYYY HH:MM AM | | EVV Bill Time In: The actual electronic clock in date/time, or if the electronic clock in time is missing from the Visit, the System User must enter the clock in time in this field. May be modified to downward adjust Bill Hours. |
| File record | 125 | EVV_BILL_TIME_OUT | Required | 17 | Date | MMDDYYYY HH:MM AM | | EVV Bill Time Out: The actual electronic clock out date/time, or if the electronic clock out time is missing from the Visit, the System User must enter the clock out time in this field. May be modified to downward adjust Bill Hours. |
| File record | 126 | EVV_ROUNDED_ACTUALHOURS | Required | 5 | Number | NN.NN | | EVV Rounded Actual Hours: EVV system must round actual hours according to EVV Policy rounding rules. Visits with actual hours of seven minutes or less must be recorded as zero. Must be null for manually entered (GUI) visits. |
| File record | 127 | EVV_SERVICE_DELIVERY_ADDRESS_IN | Conditionally Required | 50 | Varchar | | | EVV Service Delivery Address In: Street Address of the home where services were delivered when EVV_VISITLOCATION is the Member Home, Family Home or Neighbor Home. |
| File record | 128 | EVV_SERVICE_DELIVERY_CITY_IN | Conditionally Required | 50 | Varchar | | | EVV Service Delivery City In: City of the Home address where services were delivered when EVV_VISITLOCATION is the Member home, Family home or Neighbor home. |
| File record | 129 | EVV_SERVICE_DELIVERY_STATE_IN | Conditionally Required | 2 | Varchar | | | EVV Service Delivery State In: State of the Home address where services were delivered when EVV_VISITLOCATION is the Member home, Family home or Neighbor home. |

| Type of Record | Position of Data Element | Extract Data Element | Required Field Indicator | Length | Field Type | Format | Valid Values for Fields/ Derived Values for Fields | Comments |
|----------------|-----------------------------|----------------------------------|-----------------------------|--------|------------|--------|---|--|
| File record | 130 | EVV_SERVICE_DELIVERY_ZIP_IN | Conditionally Required | 5 | Number | | | EVV Service Delivery ZIP Code In: ZIP Code of the Home address where services were delivered when EVV_VISITLOCATION is the Member home, Family home or Neighbor home. |
| File record | 131 | EVV_SERVICE_DELIVERY_ADDRESS_OUT | Conditionally Required | 50 | Varchar | | | EVV Service Delivery Address Out: Street Address of the Home where services were delivered when EVV_VISITLOCATION_OUT is the Member home, Family home or Neighbor home. |
| File record | 132 | EVV_SERVICE_DELIVERY_CITY_OUT | Conditionally Required | 50 | Varchar | | | EVV Service Delivery City Out: City of the Home address where services were delivered when EVV_VISITLOCATION_OUT is the Member home, Family home or Neighbor home. |
| File record | 133 | EVV_SERVICE_DELIVERY_STATE_OUT | Conditionally Required | 2 | Varchar | | | EVV Service Delivery State Out: State of the Home address where services were delivered when EVV_VISITLOCATION_OUT is the Member home, Family home or Neighbor home. |
| File record | 134 | EVV_SERVICE_DELIVERY_ZIP_OUT | Conditionally Required | 5 | Number | | | EVV Service Delivery ZIP Code Out: ZIP Code of the Home address where services were delivered when EVV_VISITLOCATION_OUT is the Member home, Family home or Neighbor home. |
| File record | 135 | VISIT_AUTHORIZATION_NUMBER | Optional | 30 | Varchar | | | MCO or HHSC authorization identifier. This should be the same identifier sent to HHSC for the MCO authorization data (need to get the exact name). |
| File record | 136 | EVV_CDS_OPTION | Conditionally Required | 1 | Number | | | The option selected by CDS employer on Form 1722. Must be 4 when Form 1722 is not submitted by CDS employer. |
| File record | 137 | EVV_UNROUNDED_PAYHOURS | Required | 5 | Number | | | EVV Unrounded Bill (Pay) Hours: EVV System must calculate EVV Unrounded Bill Hours by subtracting Bill Time In from Bill Time Out with no rounding. |
| File record | 138 | EVV_1 | Optional | 50 | Varchar | | | Temporary field for future use |
| File record | 139 | EVV_2 | Optional | 100 | Varchar | | | Temporary field for future use |
| File record | 140 | EVV_3 | Optional | 500 | Varchar | | | Temporary field for future use |
| File record | 141 | EVV_4 | Optional | 500 | Varchar | | | Temporary field for future use |

| Version | Date | Description |
|---------|-----------|---|
| 1.0 | 9/18/2020 | Published with PSO v1.1 and EVV Vendor v8.0 Business Rules. |
| 2.0 | 2/25/2022 | Published with PSO v2.0 and EVV Vendor v9.0 Business Rules. Revised Comments column for following fields: Actual Call In Time, Actual Call Out Time, Pay Hours. Updated Comments field descriptions for consistency with other appendices. Removed TMHP internal only columns (Transformation Logic, Table Name, Field Name, GUI Interface, GUI Field Name) - N/A for EVV Systems. Removed reference to Void which is no longer a valid value for EVV_VISITRECORDINDICATOR. |
| 3.0 | 1/2/2023 | Published with PSO v3.0 and EVV Vendor v10.0 Business Rules |
| 4.0 | 9/16/2024 | Published with PSO v3.1 and EVV SPSO v10.1 Business Rules. Revised Comments column for following fields: EMPLOYEE_SOCSEC_VISA_PASSPORT, VISIT_VISITTIMEIN, VISIT_VISITTIMEOUT, EVV_CREATEDATETIME, EVV_CALLINTIME, EVV_CALLOUTTIME, EVV_PAYHOURS, EVV_LASTVISITMAINT, and EVV_VENDORID. Updated Required Field Indicator for PROVIDER_TIN. |