Individual

Identifier

Section A Identification Information

A1100.	1100. Language							
Enter Code	 A. Does the individual need or want an interpreter to communicate with a doctor or health care staff? 0. No 1. Yes → Specify in A1100B, Preferred language 9. Unable to determine B. Preferred language: 							
A1300.	Optional Individual Items							
	B. Room number:							
A1550.	Conditions Related to IDD Status							
	ividual is 22 years of age or older, complete only if A0310A = 01							
<u></u>	ividual is 21 years of age or younger, complete always							
	heck all conditions that are related to IDD status that were manifested before age 22, and are likely to continue indefinitely							
	IDD With Organic Condition							
	A. Down syndrome							
	B. Autism							
	C. Epilepsy							
	D. Other organic condition related to IDD							
	IDD Without Organic Condition							
	E. IDD with no organic condition							
	No IDD							
	Z. None of the above							
A2300.	Assessment Date							
	Observation end date:							
	Month Day Year							

Look back period for all items is 7 days unless another time frame is indicated

Section B Hearing, Speech, and Vision

B0100	0100. Comatose							
Enter	Persistent vegetative state/no discernible consciousness							
	0. No \rightarrow Continue to B0200, Hearing							
Code	1. Yes → Skip to G0110, Activities of Daily Living (ADL) Assistance							
B0200	. Hearing							
F (Ability to hear (with hearing aid or hearing appliances if normally used)							
Enter	0. Adequate – no difficulty in normal conversation, social interaction, listening to TV							
	1. Minimal difficulty – difficulty in some environments (e.g., when person speaks softly or setting is noisy)							
Code	 Moderate difficulty – speaker has to increase volume and speak distinctly Uitably impaired – sheares of yeaful begins 							
Daaaa	3. Highly impaired – absence of useful hearing							
B0300 Enter	. Hearing Aid							
	Hearing aid or other hearing appliance used in completing B0200, Hearing 0. No							
	0. NO 1. Yes							
Code								
B0600	. Speech Clarity							
Enter	Select best description of speech pattern							
	0. Clear speech – distinct intelligible words							
Code	 Unclear speech – slurred or mumbled words No speech – absence of spoken words 							
B0700	. Makes Self Understood							
BU/UU								
Enter	Ability to express ideas and wants, consider both verbal and non-verbal expression. Enter '-' Dash if unable to assess. 0. Understood							
	 Usually understood – difficulty communicating some words or finishing thoughts but is able if prompted or given time 							
	 Sometimes understood – ability is limited to making concrete requests 							
Code	3. Rarely/never understood							
B0799	. Modes of Expression							
	Check all used by individual to make needs known							
니님니	A. Speech							
	B. Writing messages to express or clarify needs							
	C. American sign language or Braille							
	D. Signs/ Gestures/ Sounds							
	E. Communication Board							
	F. Voice Modulator							
	G. Other							
	Z. None of the above							
B0800	. Ability To Understand Others							
-	Understanding verbal content, however able (with hearing aid or device if used). Enter '-' Dash if unable to assess.							
Enter	0. Understands – clear comprehension							
	1. Usually understands – misses some part/intent of message but comprehends most conversation							
Code	 Sometimes understands – responds adequately to simple, direct communication only Benely/never understands 							
P1000	3. Rarely/never understands							
БТООО	Ability to see in adequate light (with glasses or other visual appliances)							
	0. Adequate – sees fine detail, such as regular print in newspapers/books							
Enter	1. Impaired – sees large print, but not regular print in newspapers/books							
	 Moderately impaired – limited vision; not able to see newspaper headlines but can identify objects 							
Code	3. Highly impaired – object identification in question, but eyes appear to follow objects							
	4. Severely impaired - no vision or sees only light, colors or shapes; eyes do not appear to follow objects							
B1200	. Corrective Lenses							
Enter	Corrective lenses (contacts, glasses, or magnifying glass) used in completing B1000, Vision							
	0. No							
Codo	1. Yes							

Section C Cognitive Patterns

C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted? – Attempt to conduct interview with the individual
Enter 0. No (individual is rarely/never understood) OR individual is less than 7 years of age, skip to and complete C0700-C1000, Caregiver Assessment for Mental Status Code 1. Yes → Continue to C0200, Repetition of Three Words
Brief Interview for Mental Status (BIMS)
C0200. Repetition of Three Words
Ask individual: "I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words." Enter '-' Dash if unable to assess.
Enter Number of words repeated after first attempt 0. None
Code 1. One
2. Two 3. Three
After the individual's first attempt, repeat the words using cues ("sock, something to wear; blue, a color; bed, a piece of furniture"). You may repeat the words up to two more times.
C0300. Temporal Orientation (orientation to year, month, and day)
Ask individual: "Please tell me what year it is right now." Enter '-' Dash if unable to assess.
A. Able to report correct year 0. Missed by > 5 years or no answer
1. Missed by 2–5 years
Code 2. Missed by 1 year 3. Correct
Ask individual: "What month are we in right now?" Enter '-' Dash if unable to assess.
Enter B. Able to report correct month
0. Missed by >1 month or no answer 1. Missed by 6 days to 1 month
Code 2. Accurate within 5 days
Ask individual: "What day of the week is today?" Enter '-' Dash if unable to assess.
Enter C. Able to report correct day of the week
Code 0. Incorrect or no answer 1. Correct
C0400. Recall
Ask individual: "Let's go back to an earlier question. What were those three words that I asked you to repeat?"
If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. Enter '-' Dash if unable to
Enter A. Able to recall "sock"
0. No – could not recall
1. Yes, after cueing ("something to wear") Code 2. Yes, no cue required
Enter B. Able to recall "blue"
0. No – could not recall
1. Yes, after cueing ("a color") Code 2. Yes, no cue required
Enter C. Able to recall "bed"
0. No – could not recall
1. Yes, after cueing ("a piece of furniture") Code 2. Yes, no cue required
C0500. BIMS Summary Score
Enter Score The sum of the scores for questions C0200–C0400. The sum should be a number (00–15) A score of 99 indicates that the individual was unable to complete the interview

Section C	Cognitive Patterns	
-----------	--------------------	--

C0600. Should the Caregiver Assessment for Mental Status (C0700-C1000) be Conducted?					
Enter 0. No (Individual was able to complete Brief Interview for Mental Status)→ Skip to C1310, Signs and Symptoms of Delirium					
1. Yes (Individual was unable to complete Brief Interview for Mental Status OR individual is less than 7 years of age) →					
Code Continue to C0700, Short-term Memory OK					
Caregiver Assessment for Mental Status					
Do not conduct if Brief Interview for Mental Status (C0200–C0500) was completed					
C0700. Short-term Memory OK					
Enter Seems or appears to recall after 5 minutes. Enter '-' Dash if unable to assess OR individual is less than 2 years of age.					
O. Memory OK Code 1.					
C0800. Long-term Memory OK					
Enter Seems or appears to recall long past. Enter '-' Dash if unable to assess OR individual is less than 2 years of age.					
0. Memory OK					
Code 1. Memory problem					
C0900. Memory/Recall Ability					
↓ Check all that the individual was normally able to recall					
A. Current season					
B. Location of own room					
C. Caregiver names and faces					
D. That he or she is in their own home/room					
Z. None of the above were recalled					
C1000. Cognitive Skills for Daily Decision Making					
Made decisions regarding tasks of daily life					
Enter 0. Independent – decisions consistent/reasonable					
1. Modified independence – some difficulty in new situations only					
2. Moderately impaired – decisions poor; cues/supervision required					
3. Severely impaired – never/rarely made decisions					

Delirium
Deminum

Code after completing Brief Interview for Mental Status or Caregiver Assessment, and reviewing medical record								
. Acute Onset Mental Status Ch	ange							
Is there evidence of an 0. No 1. Yes	n acute change in mental status from the individual's baseline?"							
oding:	Enter Codes in Boxes B. Inattention - Did the individual have difficulty focusing attention, for example, being easily distractible							
0. Behavior not present1. Behavior continuously	 or having difficulty keeping track of what was being said? C. Disorganized Thinking - Was the individual's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)? 							
present, does not fluctuate 2. Behavior present,	D. Altered Level of Consciousness - Did the individual have altered level of consciousness, as indicated by any of the following criteria? 7 vigilant - startled easily to any sound or touch							
fluctuates (comes and goes, changes in severity)	 repeatedly dozed off when being asked questions, but responded to voice or touch stuporous - very difficult to arouse and keep aroused for the interview comatose - could not be aroused 							

Se	ection D	Mood		
1				
ľ	20100 Should Individ	dual Mood Interview by Conducted? Attempt to conduct interview with the		_
		dual Mood Interview be Conducted? – Attempt to conduct interview with the		DOCOO
		lual is rarely/never understood) OR individual is less than 7 years of age → Skip : aregiver Assessment of Individual Mood(PHQ-9-OV)	to and complete	D0500
		ntinue to D0200, Individual Mood Interview (PHQ-9©)		
	oode			
D02	00. Individual Mood I	Interview (PHQ-9©)		
Say	to individual: "Over the	e last 2 weeks, have you been bothered by any of the following problems? "		
		er 1 (yes) in column 1, Symptom Presence.		
		k the individual: "About how often have you been bothered by this?" ual a card with the symptom frequency choices. Indicate response in column 2,		
	mptom Frequency.	ual a card with the symptom requency choices. Indicate response in column 2,		
	Symptom Presence	2. Symptom Frequency	1.	2.
	No (enter 0 in column 2		Symptom	Symptom
	Yes (enter 0-3 in colum		Presence	Frequency
9.	No response (leave co	olumn 2 blank) 2. 7–11 days (half or more of the days) 3. 12–14 days (nearly every day)	Lenter Score	es in Boxes 🜡
A.	Little interest or pleasu	re in doing things		
В.	Feeling down, depress	ed, or hopeless		
C.	Trouble falling or stayin	ng asleep, or sleeping too much		
D.	Feeling tired or having	little energy		
<u> </u>				
E .	Poor appetite or overea	ating		
F	Feeling bad about your	rself – or that you are a failure or have let yourself or your family down		
G.	Trouble concentrating of	on things, such as reading the newspaper or watching television		
н.	Moving or speaking so	slowly that other people could have noticed. Or the opposite – being		
		hat you have been moving around a lot more than usual		
١.	Thoughts that you wo	ould be better off dead, or of hurting yourself in some way		
D03	00. Total Severity Score	e		

The sum of the scores for all frequency responses in Column 2, Symptom Frequency. The sum should be a number (00-27) A score of 99 indicates that the individual was unable to complete interview (i.e., Symptom Frequency is blank for 3 or more items).

Copyright© Pfizer Inc. All rights reserved. Reproduced with permission.

Section D Mood

Identifier

D0500. Caregiver Assessment of Individual Mood (PHQ-9-OV*)				
Do not conduct if Individual Mood Interview (D0200-D0300) was completed				
Over the last 2 weeks, did the individual have any of the following problems or behaviors?				
If symptom is present, enter 1 (yes) in column 1, Symptom Presence.				
Then move to column 2, Symptom Frequency, and indicate symptom frequency.				
1. Symptom Presence 2. Symptom Frequency	1.	2.		
0. No (enter 0 in column 2) 0. Never or 1 day	Symptom	Symptom		
1. Yes (enter 0-3 in column 2)1. 2–6 days (several days)	Presence	Frequency		
2. 7–11 days (half or more of the days)	L Enter Scor	es in Boxes 🜡		
3. 12–14 days (nearly every day)	¥			
A. Little interest or pleasure in doing things				
B. Feeling or appearing down, depressed, or hopeless				
C. Trouble falling or staying asleep, or sleeping too much				
D. Feeling tired or having little energy				
E. Poor appetite or overeating				
F Indicating that s/he feels bad about self, is a failure, or has let self or family down				
G. Trouble concentrating on things, such as reading the newspaper or watching television				
H. Moving or speaking so slowly that other people have noticed. Or the opposite – being so fidgety or restless that s/he has been moving around a lot more than usual				
I. States that life isn't worth living, wishes for death, or attempts to harm self				
J. Being short-tempered, easily annoyed				
D0600. Total Severity Score				
The sum of the scores for all frequency responses in Column 2 , Symptom Frequency. The (00-30).	sum should be a	number		

Copyright© Pfizer Inc. All rights reserved.

. . .

1

Identifier

Section E	Benavior							
E0100. Potential Indicators of Psychosis								
↓ Check all that apply								
A. Ha								
B. De	elusions (misconceptions or	beliefs th	at are	e firmly held, contrary to reality)				
Z. No	Z. None of the above							
Behavioral Sym	Behavioral Symptoms							
E0200. Behavio	E0200. Behavioral Symptom – Presence & Frequency							
Note presence of	symptoms and their freque							
		↓En	1	odes in Boxes				
Coding: 0. Behavior not	exhibited		A .	Physical behavioral symptoms directed toward others (e.g., hitting, kicking, pushing, scratching, grabbing, abusing others sexually)				
1. Behavior of t days	his type occurred 1 to 3		В.	Verbal behavioral symptoms directed toward others (e.g., threatening others, screaming at others, cursing at others)				
 Behavior of this type occurred 4 to 6 days, but less than daily 			C.	Other behavioral symptoms not directed toward others (e.g., physical symptoms such as hitting or scratching self, pacing, rummaging, public sexual acts, disrobing in public, throwing or smearing food or bodily wastes,				
	his type occurred daily			or verbal/vocal symptoms like screaming, disruptive sounds)				
	Presence of Behavioral							
Enter Code Were a	any behavioral symptoms i No \rightarrow Skip to E0800, Rej	-						
				rioral Symptoms, answer E0500 and E0600 below				
E0500. Impact o	v	,		, , , , , , , , , ,				
	ly of the identified symptor	n(s):						
	It the individual at signification	• •	or ph	ysical illness or injury?				
0.								
		o individ	lual'e					
	Enter Code B. Significantly interfere with the individual's care? 0. No 1. Yes							
		e individ	dual's	participation in activities or social interactions?				
0.								
1.								
E0600. Impact of								
	y of the identified symptor ut others at significant risk		icali	nium/2				
Enter Code A. Pu	• •	ior priys	ical li	ijury f				
	Yes							
Enter Code B. Si	gnificantly intrude on the p	orivacy o	r acti	vity of others?				
0.								
Enter Code C. Si	Yes gnificantly disrupt care or	living on	viron	mont?				
Enter Code C. Si 0.	No	invilig en	VIIOII					
	n of Care – Presence & I	Eroquor						
		-		g., bloodwork, taking medications, ADL assistance) that is necessary to				
achiev by disc	ve the individual's goals for	r health a	and w	vell-being? Do not include behaviors that have already been addressed (e.g., or family), and determined to be consistent with individual values,				
Enter Code 0.	-							
		curred 1	l to 3	days				
2.				days, but less than daily				
3.	3. Behavior of this type occurred daily							

Section E Behavior

E0900	Wandering – Presence & Frequency	
	Has the individual wandered?	Π
Enter	0. Behavior not exhibited → Skip to E1100, Change in Behavior or Other Symptoms	
	1. Behavior of this type occurred 1 to 3 days	
Code	2. Behavior of this type occurred 4 to 6 days, but less than daily	
	3. Behavior of this type occurred daily	
E1000	Wandering – Impact	
Enter	A. Does the wandering place the individual at significant risk of getting to a potentially dangerous place (e.g., stairs,	
	outside of the residence/facility)?	
Code	0. No	
Enter	1. Yes	_
Enter	B. Does the wandering significantly intrude on the privacy or activities of others?	
	0. No	
Code	1. Yes	
E1100	Change in Behavior or Other Symptoms – Consider all of the symptoms assessed in items E0100 through E1000.	
	How does individual's current behavior status, care rejection, or wandering compare to prior assessment?	
Enter	0. Same	
	1. Improved	
Code	2. Worse	
	3. N/A because no prior assessment	

Section G Functional Status

G	0110. Activities of Daily Living (ADL) Assistance		
7 7 7 7	structions for Rule of 3 When an activity occurs three times at any one given level, code that level. When an activity occurs three times at multiple levels, code the most dependent, exceptions are total devery time, and activity did not occur (8), activity must not have occurred at all. Example, three times exassistance (2), code extensive assistance (3). When an activity occurs at various levels, but not three times at any given level, apply the following: When there is a combination of full caregiver performance, and extensive assistance, code extensive as When there is a combination of full caregiver performance, weight bearing assistance and/or non-weighted the above are met, code supervision.	tensive assistance (3) and the sistance.	nree times limited
1.	ADL Self-Performance Code for individual's performance - not including setup. If the ADL activity occurred 3 or more times at various levels of assistance, code the most dependent - except for total dependence, which requires full caregiver performance every time	2. ADL Support Provid Code for most support code regardless of indiv performance classification	provided; idual's self-
	Activity Occurred 3 or More Times 0. Independent - no help or caregiver oversight at any time 1. Supervision - oversight, encouragement or cueing 2. Limited assistance - individual highly involved in activity; caregiver provide guided maneuvering of limbs or other non-weight-bearing assistance 3. Extensive assistance - individual involved in activity, caregiver provide weight-bearing support 4. Total dependence - full caregiver performance every time during entire 7-day period Activity Occurred 2 or Fewer Times	 Coding: 0. No setup or physical 1. Setup help only 2. One person physica 3. Two+ persons physis 8. ADL activity itself diagentire period 	assist cal assist
	 Activity occurred only once or twice - activity did occur but only once or twice Activity did not occur - activity (or any part of the ADL) was not performed by individual or caregiver at all over the entire 7-day period 	1. Self-Performance ↓ Enter Score	2. Support es in Boxes↓
Α.	Bed mobility - how individual moves to and from lying position, turns side to side, and positions body while in bed or alternate sleep furniture		
В.	Transfer - how individual moves between surfaces including to or from: bed, chair, wheelchair, standing position (excludes to/from bath/toilet)		
с.	Walk in room - how individual walks between locations in room		
D.	Walk in home - how individual walks in home or community setting		
E.	Locomotion in room - how individual moves between locations in his/her room and adjacent hallway on same floor. If in wheelchair, self-sufficiency once in chair		
F.	Locomotion in home - how individual moves to and returns from distant areas in his/her home or community setting. If in wheelchair, self-sufficiency once in chair		
G.	Dressing - how individual puts on, fastens and takes off all items of clothing, including donning/removing a prosthesis or TED hose. Dressing includes putting on and changing pajamas and housedresses		
н.	Eating - how individual eats and drinks, regardless of skill. Do not include eating/drinking during medication pass. Includes intake of nourishment by other means (e.g., tube feeding total parenteral nutrition, IV fluids administered for nutrition or hydration)	I,	
I.	Toilet use - how individual uses the toilet room, commode, bedpan, or urinal; transfers on/off toilet; cleanses self after elimination; changes pad; manages ostomy or catheter; and adjusts clothes. Do not include emptying of bedpan, urinal, bedside commode, catheter bag or ostomy bag		
J.	Personal hygiene - how individual maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face and hands (excludes baths and showers)		

Section G

Functional Status

most dependent in self-performance and support Enter Code A. Self-performance 0. Independent - no help provided 1. Support provided 2. Physical help in part of bathing activity 4. Total dependence 8. Activity itself did not occur during the entire period B. Support provided (Bathing support codes are as defined in item 60110 column 2, ADL Support Provided, above) G0300. Balance During Transitions and Walking After observing the individual, code the following walking and transition items for most dependent 4. Coding: A. Moving from seated to standing position B. Walking (with assistive device if used) without human assistance A. Moving on and off toilet E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) G0400. Functional Limitation in Range of Motion C. Turning around and facing the poposite direction while walking Coding: 4. <l< th=""><th colspan="5">G0120. Bathing</th></l<>	G0120. Bathing				
0. independent - no help provided 1. Support provided for bathing activity 2. Physical help in part of bathing activity 3. Activity liself did not occur during the entire period B. Support provided (Bathing support codes are as defined in item 60110 column 2, ADL Support Provided, above) G0300. Balance During Transitions and Walking After observing the individual, code the following walking and transition items for most dependent Coding: Activity liself did not occur B. Walking (with assistive device if used) Without and satistance Not steady, but able to stabilize with human assistance C. Turning around and facing the opposite direction while walking D. Moving on and of follet E. Surface-to-surface transfer (transfer between bed and chair or wheekchair) G0400. Functional Limitation in Range of Motion A. Upper extremity (shoulder, elbow, wrist, hand) B. Lower extremity (shoulder, elbow, wrist, hand) B. Lower extremity (shoulder, elbow, wrist, hand) B. Walkier C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0800. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code B. Caragiver believes individual is capable of increased independ	How individual takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (excludes washing of back and hair). Code for				
B. Support provided (Bathing support codes are as defined in Item G0110 column 2, ADL Support Provided, above) G0300. Balance During Transitions and Walking After observing the individual, code the following walking and transition items for most dependent Enter Codes in Boxes Coding: Steady at all times Not steady, but <u>able</u> to stabilize without human assistance Not steady, only <u>able</u> to stabilize without human assistance Not steady, only <u>able</u> to stabilize without human assistance Not steady, only <u>able</u> to stabilize without human assistance Not steady, only <u>able</u> to stabilize with human assistance Not steady, only <u>able</u> to stabilize with human assistance Not steady, only <u>able</u> to stabilize with human assistance Not steady, only <u>able</u> to stabilize with human assistance Not steady. <u>Only able</u> to stabilize with human assistance Not steady. <u>Only able</u> to stabilize with human assistance Not steady. <u>Only able</u> to stabilize with human assistance No impairment Intrainfered with daily functions or placed individual at risk of injury Coding:	0. Independent – no help provided 1. Supervision – oversight help only 2. Physical help limited to transfer on 3. Physical help in part of bathing act 4. Total dependence	ivity			
After observing the individual, code the following walking and transition items for most dependent Coding: 0. Steady, at all times 1. Not steady, but able to stabilize with human assistance 2. Not steady, only able to stabilize with human assistance 8. Activity did not occur Coding: 0. Moving on and off toilet E. Activity did not occur Coding: 0. No impairment 1. Impairment on one side 2. Impairment on both sides 4. Oupper extremity (shoulder, elbow, wrist, hand) 8. Activity Devices 	B. Support provided	em G0110 column 2, ADL Support Provided, above)			
Coding: Steady at all times Not steady, but <u>able</u> to stabilize with human assistance Not steady, only able to stabilize with human assistance Not steady, only able to stabilize with human assistance Activity did not occur G0400. Functional Limitation in Range of Motion Code for limitation that interfered with daily functions or placed individual at risk of injury Code for limitation that interfered with daily functions or placed individual at risk of injury Code for limitation that interfered with daily functions or placed individual at risk of injury Code for limitation that interfered with daily functions or placed individual at risk of injury Codes in Boxes No impairment Impairment on one side Impairment one side Impairment one side Impairment one side Impairment one side					
Coding: A. Moving from seated to standing position B. Valking (with assistive device if used) Image: Coding: C. Turning around and facing the opposite direction while walking D. Not steady, only able to stabilize with human assistance B. Activity did not occur Coding: D. Moving on and off toilet E. Activity did not occur Coding: D. Moving on and off toilet E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) Coding: O. No impairment I. Impairment on one side I. Impairment on both sides G0600. Mobility Devices Check all that were normally used A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code B. Caregiver believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes					
0. Steady at all times Image: Anticipation of the above of the		ter Codes in Boxes			
1. Not steady, but <u>able</u> to stabilize with human assistance B. Walking (with assistive device if used) 2. Not steady, only able to stabilize with human assistance D. Moving on and off toilet 3. Activity did not occur D. Moving on and off toilet E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) Code for limitation that interfered with daily functions or placed individual at risk of injury Coding: 4. Upper extremity (shoulder, elbow, wrist, hand) B. Lower extremity (hip, knee, ankle, foot) G0600. Mobility Devices 4. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No Yes Yes 		A. Moving from seated to standing position			
2. Not steady, only able to stabilize with human assistance C. Turning around and facing the opposite direction while walking B. Activity did not occur D. Moving on and off toilet E. Activity did not occur E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) G0400. Functional Limitation in Range of Motion E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) Code for limitation that interfered with daily functions or placed individual at risk of injury Coding: 0. No impairment A. Upper extremity (shoulder, elbow, wrist, hand) 1. Impairment on one side A. Upper extremity (shoulder, elbow, wrist, hand) 2. Impairment on bisides B. Lower extremity (hip, knee, ankle, foot) G06000. Mobility Devices A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Caregiver believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs	1. Not steady, but <u>able</u> to stabilize	B. Walking (with assistive device if used)			
8. Activity did not occur D. Moving on and off toilet E. Surface-to-surface transfer (transfer between bed and chair or wheelchair) G0400. Functional Limitation in Range of Motion Code for limitation that interfered with daily functions or placed individual at risk of injury Coding:	2. Not steady, <u>only able</u> to stabilize with	C. Turning around and facing the opposite direction while walking			
G0400. Functional Limitation in Range of Motion Code for limitation that interfered with daily functions or placed individual at risk of injury Coding:		D. Moving on and off toilet			
Code for limitation that interfered with daily functions or placed individual at risk of injury Coding:					
Coding: Enter Codes in Boxes Impairment on one side Impairment on both sides Impairment on both sides	G0400. Functional Limitation in Range of Motion				
0. No impairment 1. Impairment on one side 2. Impairment on both sides B. Lower extremity (shoulder, elbow, wrist, hand) B. Lower extremity (hip, knee, ankle, foot) G0600. Mobility Devices ↓ Check all that were normally used A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes	Code for limitation that interfered with daily functions or pla	iced individual at risk of injury			
1. Impairment on one side Impairment on both sides 2. Impairment on both sides B. Lower extremity (hip, knee, ankle, foot) G0600. Mobility Devices Impairment on both sides Impairment on both sides Impairment on both sides Impairment on	Coding: ↓En	ter Codes in Boxes			
2. Impairment on both sides B. Lower extremity (hip, knee, ankle, foot) G0600. Mobility Devices Check all that were normally used A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes		A. Upper extremity (shoulder, elbow, wrist, hand)			
Check all that were normally used A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes					
A. Cane/crutch B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine	G0600. Mobility Devices				
B. Walker C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes	↓Check all that were normally used				
C. Wheelchair (manual or electric) D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes	A. Cane/crutch				
D. Limb prosthesis Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes	B. Walker				
Z. None of the above were used G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes	C. Wheelchair (manual or electric)				
G0900. Functional Rehabilitation Potential Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine Enter Code B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine 1. Yes 1. Yes	D. Limb prosthesis				
Complete only if A0310A = 01 Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine Enter Code B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes 1. Yes	Z. None of the above were used				
Enter Code A. Individual believes he or she is capable of increased independence in at least some ADLs 0. No 1. Yes 9. Unable to determine Enter Code B. Caregiver believes individual is capable of increased independence in at least some ADLs 0. No 1. Yes					
No information/not assessed					

Identifier

Section H Bladder and Bowel

H0100. Appliances				
↓ Check all that apply				
	A. Indwelling catheter (including suprapubic catheter and nephrostomy tube)			
	B. External catheter			
	C. Ostomy (including urostomy, ileostomy, and colostomy)			
	D. Intermittent catheterization			
	Z. None of the above			
H0200	. Urinary Toileting Program			
Enter Code	 Current continence promotion program or trial – Is an individualized continence promotion program (e.g., scheduled toileting, prompted voiding, or bladder training) currently being used to manage the individual's urinary continence? 0. No 1. Yes 			
H0300	. Urinary Continence			
	Urinary continence – Select the one category that best describes the individual			
Enter	0. Always continent			
	1. Occasionally incontinent (less than 7 episodes of incontinence)			
	2. Frequently incontinent (7 or more episodes of urinary incontinence, but at least one episode of continent voiding)			
Code	3. Always incontinent (no episodes of continent voiding)			
	9. Not rated, individual had a catheter (indwelling, condom), urinary ostomy, or no urine output for entire 7 days			
H0400	. Bowel Continence			
	Bowel continence – Select the one category that best describes the individual			
Enter	0. Always continent			
	1. Occasionally incontinent (one episode of bowel incontinence)			
	2. Frequently incontinent (2 or more episodes of bowel incontinence, but at least one continent bowel movement)			
Code	Always incontinent (no episodes of continent bowel movements)			
	9. Not rated, individual had an ostomy or did not have a bowel movement for the entire 7 days			
H0500. Bowel Continence Program				
Enter	Is an individualized continence promotion program currently being used to manage the individual's bowel continence?			
	0. No			
Code	1. Yes			
H0600. Bowel Patterns				
Enter	Constipation present?			
	0. No			
Code	1. Yes			

Active Diagnoses Section I

Active Diagnoses in the last 7 days – Check all that apply					
Dia	Diagnoses listed in parentheses are provided as examples and should not be considered as all-inclusive lists				
	Cancer				
	I0100. Cancer (with or without metastasis)				
	Heart/Circulation				
	I0200. Anemia (e.g., aplastic, iron deficiency, pernicious, and sickle cell)				
	10300. Atrial Fibrillation or Other Dysrhythmias (e.g., bradycardias and tachycardias)				
	10400. Coronary Artery Disease (CAD) (e.g., angina, myocardial infarction, and atherosclerotic heart disease (ASHD))				
	10500. Deep Venous Thrombosis (DVT), Pulmonary Embolus (PE), or Pulmonary Thrombo-Embolism (PTE)				
	I0600. Heart Failure (e.g., congestive heart failure (CHF) and pulmonary edema)				
	I0700. Hypertension				
	I0799a. Blood Pressure				
	10800. Orthostatic Hypotension				
IT.	10900. Peripheral Vascular Disease (PVD) or Peripheral Arterial Disease (PAD)				
님	10999. Peripheral Edema				
	•				
	Gastrointestinal				
	I1100. Cirrhosis				
	I1200. Gastroesophageal Reflux Disease (GERD) or Ulcer (e.g., esophageal, gastric, and peptic ulcers)				
Ц	I1300. Ulcerative Colitis, Crohn's Disease, or Inflammatory Bowel Disease				
	Genitourinary				
IЦI	I1400. Benign Prostatic Hyperplasia (BPH)				
旧니	I1500. Renal Insufficiency, Renal Failure, or End-Stage Renal Disease (ESRD)				
H	I1550. Neurogenic Bladder				
	I1650. Obstructive Uropathy Infections				
	I1700. Multidrug-Resistant Organism (MDRO)				
머리	I2000. Pneumonia				
님	I2100. Septicemia				
[님]	I2200. Tuberculosis				
	I2300. Urinary Tract Infection (UTI) (LAST 30 DAYS)				
님	I2400. Viral Hepatitis (e.g., Hepatitis A, B, C, D, and E)				
Ľ	I2500. Wound Infection (other than foot)				
	Metabolic				
	I2900. Diabetes Mellitus (DM) (e.g., diabetic retinopathy, nephropathy, and neuropathy)				
	I2999. Blood Sugar Range				
	I3100. Hyponatremia				
IН	I3200. Hyperkalemia				
	I3300. Hyperlipidemia (e.g., hypercholesterolemia)				
	I3400. Thyroid Disorder (e.g., hypothyroidism, hyperthyroidism, and Hashimoto's thyroiditis)				

Section I Active Diagnoses

Active Diagnoses in the last 7 days – Check all that apply						
Diag	Diagnoses listed in parentheses are provided as examples and should not be considered as all-inclusive lists					
	Musculoskeletal					
	13700. Arthritis (e.g., degenerative joint disease (DJD), osteoarthritis, and rheumatoid arthritis (RA))					
	I3800. Osteoporosis					
	I3900. Hip Fracture - any hip fracture that has a relationship to current status, treatments, monitoring (e.g., sub-capital fractures, and fractures of the trochanter and femoral neck)					
	I3999. Contractures					
	I4000. Other Fracture					
	I4099. Scoliosis					
	Neurological					
	I4200. Alzheimer's Disease					
	I4300. Aphasia					
	l4400. Cerebral Palsy					
	I4500. Cerebrovascular Accident (CVA), Transient Ischemic Attack (TIA), or Stroke					
	14800. Non-Alzheimer's Dementia (e.g. Lewy body dementia, vascular or multi-infarct dementia; mixed dementia; frontotemporal dementia such as Pick's disease; and dementia related to stroke, Parkinson's or Creutzfeldt-Jakob diseases)					
	I4900. Hemiplegia or Hemiparesis					
	I5000. Paraplegia					
	I5100. Quadriplegia					
I H	I5199. Tremors					
I H	I5200. Multiple Sclerosis (MS)					
	I5250. Huntington's Disease					
I T	I5299. Muscular Dystrophy					
H H	I5300. Parkinson's Disease					
I H	I5350. Tourette's Syndrome					
I H	I5399. Hydrocephalus					
	I5400. Seizure Disorder or Epilepsy					
1549	9. Type of Seizure					
	Check all that apply					
Γ	A. Localized (partial or focal)					
	B Generalized (absence, myclonic, clonic, tonic and atonic)					
1549	I5499C. Average Frequency of Seizures in the last 7 days					
0. No seizures						
Enter Code 1. Less than 1 seizure/week						
	2. 1-6 seizures/week					
	3. 1 seizure/day					
	4. 2-5 seizures/day					
5. 6-12 seizures/day						
6. More than 12 seizures/day						
	I5500. Traumatic Brain Injury (TBI)					
	I5599. Spina Bifida					

_

Section I Active Diagnoses

Active Diagnoses in the last 7 days – Check all that apply					
	Nutritional				
	I5600. Malnutrition (protein or calorie) or at risk for malnutrition				
	I5699. At risk for dehydration				
	Psychiatric/Mood Disorder				
	I5700. Anxiety Disorder				
	I5800. Depression (other than bipolar)				
	I5900. Bipolar Disorder				
	I5950. Psychotic Disorder (other than schizophrenia)				
	I6000. Schizophrenia (e.g., schizoaffective and schizophreniform disorders)				
	I6100. Post Traumatic Stress Disorder (PTSD)				
	I6199. ADHD Syndrome				
	Pulmonary				
	I6200. Asthma, Chronic Obstructive Pulmonary Disease (COPD), or Chronic Lung Disease	se (e.g., chronic bronchitis and			
	restrictive lung diseases such as asbestosis) I6299. Cystic Fibrosis				
	I6300. Respiratory Failure				
	Vision				
	I6500. Cataracts, Glaucoma, or Macular Degeneration				
	None of Above				
	17900. None of the above active diagnoses within the last 7 days				
	Other				
	I8000. Additional active diagnoses				
	Enter diagnosis description and ICD code.				
	A				
	В				
	C				
	D				
	_				
	E				
	F				
	··				
	G				
	Н				
	l				

Section J Health Conditions

.10100	Pain Management – Complete for the individual, regardless of current pain level
	me in the last 5 days, has the individual:
	A. Received scheduled pain medication regimen?
	0. No
Code	1. Yes
	B. Received PRN pain medications OR was offered and declined?
	0. No
	1. Yes
Code Enter	
	C. Received non-medication intervention for pain? 0. No
	1. Yes
Code	1. 163
102	200. Should Pain Assessment Interview be Conducted? – Attempt to conduct interview with the individual.
11 11	dividual is comatose, skip to J1100, Shortness of Breath (dyspnea)
- Ente	
Ente	
	or Possible Pain
Code	1. Yes →Continue to J0300, Pain Presence
Pain A	ssessment Interview
J0300.	Pain Presence
Enter	Ask individual: "Have you had pain or hurting at any time in the last 5 days?"
Enter	0. No \rightarrow Skip to J1100, Shortness of Breath
	1. Yes → Continue to J0400, Pain Frequency
Code	9. Unable to answer → Skip to J0800, Indicators of Pain or Possible Pain
.10400	Pain Frequency
00400.	Ask individual: "How much of the time have you experienced pain or hurting over the last 5 days?"
Enter	1. Almost constantly
	2. Frequently
	3. Occasionally
Code	4. Rarely
	9. Unable to answer
J0500.	Pain Effect on Function
Enter	A. Ask individual: "Over the past 5 days, has pain made it hard for you to sleep at night?"
	0. No
Code	1. Yes
Code	9. Unable to answer
Enter	B. Ask individual: "Over the past 5 days, have you limited your day-to-day activities because of pain?"
	0. No 1. Yes
Code	9. Unable to answer
10600	Pain Intensity – Administer ONLY ONE of the following pain intensity questions (A or B)
Enter	A. Numeric Rating Scale (00–10)
	Ask individual: "Please rate your worst pain over the last 5 days on a zero to ten scale, with zero being no pain and ten as the worst pain you can imagine." (Show individual 00 -10 pain scale)
Rating	Enter two-digit response. Enter 99 if unable to answer.
	•
	B. Verbal Descriptor Scale
Enter	Ask individual: "Please rate the intensity of your worst pain over the last 5 days." (Show individual verbal scale)
	1. Mild 2. Moderate
Codo	3. Severe
Code	4. Very severe, horrible
	9. Unable to answer

Section J Health Conditions

J0700. Should the Caregiver Assessment for Pain be Conducted?

Enter Code

0.

1.

No (J0400=1 thru 4) \rightarrow Skip to J1100, Shortness of Breath (dyspnea)

Yes (J0400=9) → Continue to J0800, Indicators of Pain or Possible Pain

Caregiver Assessment for Pain J0800. Indicators of Pain or Possible Pain in the last 5 days Check all that apply Non-verbal sounds (e.g., crying, whining, gasping, moaning, or groaning) Α. П Vocal complaints of pain (e.g., that hurts, ouch, stop) В. С. Facial expressions (e.g., grimaces, winces, wrinkled forehead, furrowed brow, clenched teeth or jaw) D. Protective body movements or postures (e.g., bracing, guarding, rubbing or massaging a body part/area, clutching or holding a body part during movement) Ζ. None of these signs observed or documented → If checked, skip to J1100, Shortness of Breath (dyspnea) J0850. Frequency of Indicator of Pain or Possible Pain in the last 5 days Frequency with which individual complains or shows evidence of pain or possible pain Enter Code 1. Indicators of pain or possible pain observed 1 to 2 days Indicators of pain or possible pain observed 3 to 4 days 2. Indicators of pain or possible pain observed daily 3.

Other Health Conditions		
J1100. Shortness of Breath (dyspnea)		
↓ Che	ck all that apply	
	A. Shortness of breath or trouble breathing with exertion (e.g. walking, bathing, transferring)	
	B. Shortness of breath or trouble breathing when sitting at rest	
	C. Shortness of breath or trouble breathing when lying flat	
	Z. None of the above	
J1400. I	Prognosis	
Enter Code Does the individual have a condition or chronic disease that may result in a life expectancy of less than 6 months ? 0. No 1. Yes		
J1550. P	roblem Conditions	
Check	all that apply	
A.	Fever	
В.	Vomiting	
C.	Dehydrated	
D.	Internal bleeding	
E9	99. Syncope	
Z .	None of the above	

Date

Section J Health Conditions

J1700. Fall Hi	story	
Enter A. Die	the individual have a fall any time in the last month?	
0.	No	
Code	Yes	
9.	Unable to determine	
	the individual have a fall any time in the last 2–6 months?	
	No	
Code	Yes	
	Unable to determine	
	the individual have any fracture related to a fall in the last 6 months?	
	No	
Code	Yes	
0.	Unable to determine	
	er of Falls in the last 6 months with or without injury	
Complete only if	J1700A or J1700B = 1	
	[#] Enter Codes in Boxes	
	A. No injury – no evidence of any pain, injury or change in the individual's behavior after the fall as reported	
by the individual/ caregiver.		
Coding:		
0. None 1. One	B. Injury (except major) – skin tears, abrasions, lacerations, superficial bruises, hematomas and sprains; or any fall-related injury that causes the individual to complain of pain	
2. Two or mor	e C. Major injury – bone fractures, joint dislocations, closed head injuries with altered consciousness, subdural hematoma	
J2000. Prior Surgery		
	he individual have major surgery during the 100 days prior to this assessment ?	
0. No		
	Yes	
8	B. Unknown	

Section K Swallowing/Nutritional Status

K0100. Swallowing Disorder				
Signs and symptoms of possible swallowing disorder				
↓ Check all that apply				
A. Loss of liquids/solids from mouth when eating or drinking				
B. Holding food in mouth/cheeks or residual food in mouth after meals C. Coughing or choking during meals or when swallowing medications D. Complaints of difficulty or pain with swallowing				
C. Coughing or choking during meals or when swallowing medications				
D. Complaints of difficulty or pain with swallowing				
Z. None of the above				
K0200. Height and Weight – While measuring, if the number is X.1 – X.4, round down; X.5 or greater round up				
A. Height (in inches). Record most recent height measure.				
B. Weight (in pounds). Base weight on most recent measure in last 30 days; measure weight consistently, according to standard facility practice (e.g., in a.m. after voiding, before meal, with shoes off, etc.). Enter '-' Dash if unable to assess.				
K0300. Weight Loss				
Loss of 5% or more in the last month or loss of 10% or more in last 6 months				
0. No or unknown				
1. Yes, on physician-prescribed weight-loss regimen				
2. Yes, not on physician-prescribed weight-loss regimen				
K0310. Weight Gain				
Gain of 5% or more in the last month or gain of 10% or more in last 6 months				
0. No or unknown				
1. Yes, on physician-prescribed weight-gain regimen				
2. Yes, not on physician-prescribed weight-gain regimen				
K0510. Nutritional Approaches				
↓ Check all of the following nutritional approaches that were performed during the last 7 days				
A. Parenteral/IV feeding				
B. Feeding-tube – nasogastric or abdominal (PEG)				
C. Mechanically altered diet – require change in texture of food or liquids (e.g., pureed food, thickened liquids)				
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)				
Z. None of the above				
K0710. Percent Intake by Artificial Route – Complete K0710 only if K0510A or K0510B is checked				
Enter A. Proportion of total calories the individual received through parenteral or tube feeding during entire 7 days				
1. 25% or less				
2. 26-50% Code 3. 51% or more				
B. Average huld make per day by tv of tube reeding during entire 7 days				
1. 500 cc/day or less Code 2. 501 cc/day or more				
Code 2. Soli CC/day of more				

Section L Oral/Dental Status

L0200. Dental		
↓ Check all that apply		
	Α.	Broken or loosely fitting full or partial denture (chipped, cracked, uncleanable, or loose)
	В.	No natural teeth or tooth fragment(s) (edentulous)
	C.	Abnormal mouth tissue (ulcers, masses, oral lesions, including under denture or partial if one is worn)
	D.	Obvious or likely cavity or broken natural teeth
	Ε.	Inflamed or bleeding gums or loose natural teeth
	F.	Mouth or facial pain, discomfort or difficulty with chewing
	G.	Unable to examine
	Ζ.	None of the above were present

Section M

.....

.

Skin Conditions

. . .

. ..

M0100. Determination of Pressure Ulcer/Injury Risk ↓ Check all that apply A. Individual has a prossure ulcer/Injury, a scar over bony prominence, or a non-removable dressing/device B. Formal assessment Instrument/tool (e.g., Braden, Norton, or other) C. Clinical assessment Z. None of the above M0150. Risk of Pressure Ulcers/Injuries Enter Code Is this Individual at risk of developing pressure ulcers/Injuries? 0. No 1. Yes M0210. Unhealed Pressure Ulcers/Injuries Enter Code 0. No + skip to M1030, Number of Venous and Arterial Ulcers 1. Yes M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, lendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 2 pressure ulcers - If	Кер	fort based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage			
Check all that apply A. Individual has a pressure ulcer/injury, a scar over bony prominence, or a non-removable dressing/device B. Formal assessment instrument/tool (e.g., Braden, Norton, or other) C. Clinical assessment Z. None of the above M0150. Risk of Pressure Ulcers/Injuries Enter Code Is this individual at risk of developing pressure ulcers/injuries? 0. No 1. Yes M0210. Unheaded Pressure Ulcers/Injuries Enter Code Does this Individual at risk of developing pressure ulcers/injuries? 0. No + skip to M1030, Number of Venous and Arterial Ulcers 1. Yes + M0300. Current Number of Unheaded Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unheaded Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching: in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness issue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present out does not obscure the depth of tissue loss. May include undermining and tunneling 1. Num	M0100 Determination of Pressure IIIcer/Injury Risk				
B. Formal assessment instrument/tool (e.g., Braden, Norton, or other) C. Clinical assessment Z. None of the above M0150. Risk of Pressure Ulcers/Injuries Enter Code Is this individual arisk of developing pressure ulcers/Injuries? O. No . Yes M0210. Unthealed Pressure Ulcers/Injuries Enter Code Does this individual have one or more unhealed pressure ulcers/Injuries? O. No - skip to M1300, Number of Venous and Arterial Ulcers O. No - skip to M1300, Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues Invest A. Stage 1: Pressure injuries B. Stage 2: Partial thickness loss of demis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured bilster 1. Number of Stage 2 pressure ulcers If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the dep	-				
C. Clinical assessment Z. None of the above M0150. Risk of Pressure Ulcers/Injuries Enter Code Is this individual at risk of developing pressure ulcers/injuries? 0. No 1. Yes M0210. Unbealed Pressure Ulcers/Injuries Enter Code Does this individual have one or more unbealed pressure ulcers/injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0300, Current Number of Unbealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unbealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible bianching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of demis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured bister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcerso. If 0 → skip to M0300C, Unstageable - Non-removable dressing/device: Enter Numb		A. Individual has a pressure ulcer/injury, a scar over bony prominence, or a non-removable dressing/device			
Image: Second Secon					
M0150. Risk of Pressure Ulcers/Injuries Enter Code Is this individual at risk of developing pressure ulcers/injuries? 0. No 1. Yes M0210. Unhealed Pressure Ulcers/Injuries Enter Code Does this individual have one or more unhealed pressure ulcers/injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes > Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching, in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/inplured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar		C. Clinical assessment			
Enter Code Is this individual at risk of developing pressure ulcers/injuries? 0. No No 1. Yes M0210. Unhealed Pressure Ulcers/injuries Enter Code Doe this individual have one or more unhealed pressure ulcers/injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Inter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching: In dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured bilster 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 4 pressure ulcers/or → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number Stage 4:		Z. None of the above			
0. No No 1. Yes M0210. Unhealed Pressure Ulcers/Injuries Enter Code Does this individual have one or more unhealed pressure ulcers/Injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcerso- If 0 → skip to M0300E, Unstageable - Non-removable dressing/device Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E,	 M0150. Ris	k of Pressure Ulcers/Injuries			
Enter Code Does this individual have one or more unhealed pressure ulcers/injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/injuries at Each Stage M0300. Current Number M0300. Current Number of Unhealed Pressure Ulcers/injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcerso If 0 → skip to M0300E, Unstageable - Non-removable dressing/device Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device <th>Enter Code</th> <th>0. No</th>	Enter Code	0. No			
Enter Code Does this individual have one or more unhealed pressure ulcers/injuries? 0. No → skip to M1030, Number of Venous and Arterial Ulcers 1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/injuries at Each Stage M0300. Current Number M0300. Current Number of Unhealed Pressure Ulcers/injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcerso If 0 → skip to M0300E, Unstageable - Non-removable dressing/device Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device <th>M0210. Un</th> <th>healed Pressure Ulcers/Iniuries</th>	M0210. Un	healed Pressure Ulcers/Iniuries			
1. Yes → Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues I. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister I. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 4 pressure ulcers D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device: Enter Number E. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Enter Number F. Unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e - Slough and/or eschar		•			
M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues Enter Number B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Enter Number E. Unstageable pressure ulcers/injuries due to non-removable dressing/device -					
Enter Number A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues Enter Number I. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number E. Unstageable pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Inter Number F. Unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar					
pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues 1. Number of Stage 1 pressure injuries B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister 1. Number of Stage 1 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number E. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e - Slough and/or eschar					
Enter Number B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister I. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number Enter Number Enter Number I. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device I. Number of stage 4 pressure ulcers/injuries due to non-removable dressing/device I. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar		pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple			
Enter Number slough. May also present as an intact or open/ruptured blister Image: Inter Number 1. Number of Stage 2 pressure ulcers - If 0 → skip to M0300C, Stage 3 Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number E. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar		1. Number of Stage 1 pressure injuries			
Enter Number C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling 1. Number of Stage 3 pressure ulcers Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number Enter Number Enter Number Enter Number F. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Inter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	Enter Number				
Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling Image: Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling Image: Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling Image: Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling Image: Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining and tunneling Image: Slough at the wound bed. Often includes undermining at tunneling Image: Slough at the wound bed be wound bed		1. Number of Stage 2 pressure ulcers - ^{If 0} → skip to M0300C, Stage 3			
Enter Number D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Image: Enter Number E. Unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	Enter Number				
parts of the wound bed. Often includes undermining and tunneling 1. Number of Stage 4 pressure ulcerso- If 0 → Skip to M0300E, Unstageable - Non-removable dressing/device Enter Number Enter Number Enter Number Enter Number F. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar		1. Number of Stage 3 pressure ulcers			
Enter Number E. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device Image: Liner Number Image: Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	Enter Number				
Enter Number 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable e -Slough and/or eschar Enter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar		1. Number of Stage 4 pressure ulcerso- If 0 -> Skip to M0300E, Unstageable - Non-removable dressing/device			
Enter Number F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar	Enter Number	E. Unstageable – Non-removable dressing/device: Known but not stageable due to non-removable dressing/device			
F. Unstageable – Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar					
1 Number of unstageable pressure ulcers due to coverage of wound had by slough and/or eschar					
1. Number of unstageable pressure dicers due to coverage of would bed by slough and/or eschar		1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar			
Enter Number G. Unstageable – Deep tissue injury: 1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 -> Skip to M1030, Number of Venous and Arterial Ulcers	Enter Number	1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 -> Skip to M1030, Number			

Individual

Identifier

Section M Skin Conditions

M1030. Nui	M1030. Number of Venous and Arterial Ulcers		
Enter Number	Enter the total number of venous and arterial ulcers present		
M1040. Oth	er Ulcers, Wounds and Skin Problems		
↓ Checl	k all that apply		
	Foot Problems		
	A. Infection of the foot (e.g., cellulitis, purulent drainage)		
	B. Diabetic foot ulcer(s)		
	C. Other open lesion(s) on the foot		
	Other Problems		
	D. Open lesion(s) other than ulcers, rashes, cuts (e.g., cancer lesion)		
	E. Surgical wound(s)		
	F. Burn(s) (second or third degree)		
	G. Skin tear(s)		
	H. Moisture Associated Skin Damage (MASD) (e.g., incontinence-associated dermatitis [IAD], perspiration, drainage		
	None of the Above		
	Z. None of the above were present		

Section M

Skin Conditions

M1200. Skin and Ulcer/Injury Treatments			
↓ Chec	↓ Check all that apply		
	A. Pressure reducing device for chair		
	B. Pressure reducing device for bed		
	C. Turning/repositioning program		
	D Nutrition or hydration intervention to manage skin problems		
	E. Pressure ulcer/injury care		
	F. Surgical wound care		
	G. Application of nonsurgical dressings (with or without topical medications) other than to feet		
	H. Applications of ointments/medications other than to feet		
	I. Application of dressings to feet (with or without topical medications)		
	Z. None of the above were provided		

Section N Medications

N0300. Injections			
Enter Days	Record the number of days that injections of any type were received during the last 7 days $If 0 \rightarrow Skip$ to N0410, Medications Received		
N0350. Ins	sulin		
Enter Days	Α.	Insulin injections – Record the number of days that insulin injections were received during the last 7 days	
Enter Days	В.	Orders for insulin – Record the number of days the physician (or authorized assistant or practitioner) changed the individual's insulin orders during the last 7 days	
N0410. Me	dicat	ions Received	
- * //		e number of DAYS the individual received the following medications by pharmacological classification, not how ring the last 7 days. Enter "0" if medication was not received by the individual during the last 7 days.	
Enter Days	Α.	Antipsychotic	
Enter Days	В.	Antianxiety	
Enter Days	C.	Antidepressant	
Enter Days	D.	Hypnotic	
Enter Days	E.	Anticoagulant (e.g., warfarin, heparin, or low-molecular weight heparin)	
Enter Days	F.	Antibiotic	
Enter Days	G.	Diuretic	
Enter Days	Н.	Opioid	

Section O

Special Treatments, Procedures, and Programs

O0100. Special Treatments, Procedures, and Programs		
Check all of the following treatments, procedures, and programs that were performed during the last 14 days		
Che	eck all that apply \downarrow	
Cancer Treatments		
A. Chemotherapy		
B. Radiation		
Respiratory Treatments		
C. Oxygen therapy		
D. Suctioning		
E. Tracheostomy care		
F. Invasive Mechanical Ventilator (ventilator or respirator)		
G. Non-Invasive Mechanical Ventilator (BiPAP/CPAP)		
Other		
H. IV medications		
I. Transfusions		
J. Dialysis		
K. Hospice care		
L. Respite care		
M. Isolation or quarantine for active infectious disease (does not include standard body/fluid precautions)		
N99. Psychiatric care		
None of the Above		
Z. None of the above		

Special Treatments, Procedures, and Programs Section O

O0400. Therapie	S			
	A. Speech-Language Pathology and Audiology Services			
Enter Number of Minutes	 Individual minutes - record the total number of minutes this therapy was administered to the individual individually in the last 7 days 			
Enter Number of Minutes	2. Concurrent minutes - record the total number of minutes this therapy was administered to the individual concurrently with one other individual in the last 7 days			
Enter Number of Minutes	3. Group minutes - record the total number of minutes this therapy was administered to the individual as part of a group of individuals in the last 7 days			
	If the sum of individual, concurrent, and group minutes is zero,			
Enter Number of Minutes				
Enter Number of Days	4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days			
	 5. Therapy start date - record the date the most recent therapy regimen (since the last assessment) started 6. Therapy end date - record the date the most recent therapy regimen (since the last assessment) ended - enter dashes if therapy is ongoing 			
	Month Day Year Month Day Year			
	B. Occupational Therapy f Minutes 1. Individual minutes - record the total number of minutes this therapy was administered to the individual individually in the last 7 days			
Enter Number of Minutes				
 2. Concurrent minutes - record the total number of minutes this therapy was administered to the individual in the last 7 days 3. Group minutes - record the total number of minutes this therapy was administered to the individual a group of individuals in the last 7 days 				
				If the sum of individual, concurrent, and group minutes is zero, → skip to O0400C, Physical Therapy
Enter Number of Minutes	3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the individual in co-treatment sessions in the last 7 days			
Enter Number of Days	4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days			
	 5. Therapy start date - record the date the most recent therapy regimen (since the last assessment) started 6. Therapy end date - record the date the most recent therapy regimen (since the last assessment) ended - enter dashes if therapy is ongoing 			
	Month Day Year Month Day Year			
O0400 continued on next page				

Section O

Special Treatments, Procedures, and Programs

O0400. Therapies - Continued			
	C. Physical Therapy		
Enter Number of Minutes	 Individual minutes - record the total number of minutes this therapy was administered to the individual individually in the last 7 days 		
Enter Number of Minutes Concurrent minutes - record the total number of minutes this therapy was administered to the individual in the last 7 days			
Enter Number of Minutes	3. Group minutes - record the total number of minutes this therapy was administered to the individual as part of a group of individuals in the last 7 days		
	If the sum of individual, concurrent, and group minutes is zero, → skip to O0400D, Respiratory Therapy		
Enter Number of Minutes	3A. Co-treatment minutes - record the total number of minutes this therapy was administered to the individual in co-treatment sessions in the last 7 days		
Enter Number of Days	4. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days		
	 5. Therapy start date - record the date the most recent therapy regimen (since the last assessment) started 6. Therapy end date - record the date the most recent therapy regimen (since the last assessment) ended - enter dashes if therapy is ongoing 		
	Month Day Year Month Day Year		
	D. Respiratory Therapy		
Enter Number of Minutes	1. Total minutes - record the total number of minutes this therapy was administered to the individual in the last 7 days		
	If zero,		
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days		
	E. Psychological Therapy (by any licensed mental health professional)		
Enter Number of Minutes	1. Total minutes - record the total number of minutes this therapy was administered to the individual in the last 7 days		
	If zero,		
Enter Number of Days	2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the last 7 days		
	F. Recreational Therapy (includes recreational and music therapy)		
Enter Number of Minutes	1. Total minutes - record the total number of minutes this therapy was administered to the individual in the last 7 days		
	If zero, → skip to O0420, Distinct Calendar Days of Therapy		
 2. Days - record the number of days this therapy was administered for at least 15 minutes a day in the number of days this therapy was administered for at least 15 minutes a day in the number of days this therapy was administered for at least 15 minutes and a day in the number of days the number of days			

Section O **Special Treatments, Procedures, and Programs**

O0420. Distinct Calendar Days of Therapy

Enter Number of Days

Record the number of calendar days that the individual received Speech-Language Pathology and Audiology Services, Occupational Therapy, or Physical Therapy for at least 15 minutes in the past 7 days.

O0500. Restorative Nursing Programs

Record the number of days each of the following restorative programs was performed (for at least 15 minutes a day) in the last 7 calendar days (enter 0 if none or less than 15 minutes daily)

Number of Days	Technique
	A. Range of motion (passive)
	B. Range of motion (active)
	C. Splint or brace assistance
Number of Days	Training and Skill Practice In:
	D. Bed mobility
	E. Transfer
	F. Walking
	G. Dressing and/or grooming
	H. Eating and/or swallowing
	I. Amputation/prostheses care
	J. Communication
O0600.	Physician Examinations
Enter Days	Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) examine the individual?
O0700.	Physician Orders
Enter Days	Over the last 14 days, on how many days did the physician (or authorized assistant or practitioner) change the individual's orders?

Section P Restraints and Alarms

P0100. Physical Restraints				
Physical restraints are any manual method or physical or mechanical device, material or equipment attached or adjacent to the individual's body that the individual cannot remove easily which restricts freedom of movement or normal access to one's body				
	↓ Enter Codes in Boxes			
	Used in Bed			
	A. Bed rail			
	B. Trunk restraint			
Coding:	C. Limb restraint			
0. Not used	D. Other			
1. Used less than daily	Used in Chair or Out of Bed			
2. Used daily	E. Trunk restraint			
	F. Limb restraint			
	G. Chair prevents rising			
	H. Other			
P0200. Alarms				
An alarm is any phyiscal or electronic de	vice that monitors an individual's movement and alerts when movement is detected.			
	↓ Enter Codes in Boxes			
	A. Bed alarm			
Coding:	B. Chair alarm			
 Not used Used less than daily 	C. Floor mat alarm			
2. Used daily	D. Motion Sensor alarm			
	E. Wander/elopement alarm			
	F. Other alarm			

Participation in Assessment and Goal Setting

Identifier

00100 P	20100. Participation in Assessment			
Enter Code				
	0.	No		
	1.	Yes		
Enter Code	B. Fa	mily or significant other participated in assessment		
	0.	No		
	1.	Yes		
	9.	No family or significant other available		
Enter Code	C. Gi	ardian or legally authorized representative participated in assessment		
	0.	No		
	1.	Yes		
	9.	No guardian or legally authorized representative available		
Q0300. In	Q0300. Individual's Overall Expectation			
Complete	only if	A0310A = 01		
Enter Code	A. Select one for individual's overall goal established during assessment process			
	1.	Expects to be discharged to the home (i.e. currently in ALF)		
	2.	Expects to remain in the home		
	3.	Expects to be transferred to a facility/institution		
	9.	Unknown or uncertain		
Enter Code	e B. Indicate information source for Q0300A			
	1.	Individual		
	2.	If not individual, then family or significant other		
	3.	If not individual, family, or significant other, then guardian or legally authorized representative		
	9.	Unknown or uncertain		

Section Z Assessment Administration

Z0500. Signature of RN Completing Assessment A. Signature B. Date Assessment Completed: Image: Month Day Year

Section ()
-----------	---

S1. Medicaid Information

S1a	Medicaid Client Indicator 1. Medicaid
S1b	Individual Address
S1c	City
S1d	State
S1e	ZIP Code
S1f	Phone

S2. Claims Processing Information

S2a	DADS Vendor/Site ID Number	
S2b	Provider Number	
S2c	Service Group 3. CBA 11. PACE 17. CWP 19. Star + Plus 23. CFC	
S2d	NPI Number	
S2e	Region	
S2f	Purpose Code	
S2g	HHA License #	
S2h	HHA License # Expiration Date	

S3. Primary Diagnosis

S3a	Primary Diagnosis ICD Code	
S3b	Primary Diagnosis ICD Description	

S4. For DADS use only

S4a	RN Asssessment Coordinator	
S4b	RUG	
S4c	Effective Date	
S4d	Expiration Date	
S4e	County	
S4f	DADS RN Signature	
S4g	Signature Date	

S5. Licenses

Certification: To the best of my knowledge, I certify to the accuracy and completeness of this information.

S5a	HHA RN Last Name	
S5b	HHA RN License #	
S5c	HHA RN License State	
S5d	DADS RN Last Name	
S5e	DADS RN License #	
S5f	DADS RN License State	
S5g	DADS RN Signature Date	
DADS		
Signa	iture	
S5h	PACE RN Last Name	
S5i	PACE RN License #	
S5j	PACE RN License State	
S5k	HMO RN Last Name	
S5I	HMO RN License #	
S5m	HMO RN License State	

S6. Additional MN Information

S6a	Tracheostomy Care
	1. Less than once a week
	2. 1 to 6 times a week
	3. Once a day
	4. Twice a day
	5. 3 - 11 times a day
	6. Every 2 hours
	7. Hourly / continuous
S6b	Ventilator/Respirator
	1. Less than once a week
	2. 1 to 6 times a week
	3. Once a day
	4. Twice a day
	5. 3 - 11 times a day
	6. 6 - 23 hours
	7. 24-hour continuous

S6c	Number of hospitalizations in the last 90 days	
S6d	Number of emergency room visits in the last 90 days	
S6e	Oxygen Therapy 1. Less than once a week 2. 1 to 6 times a week 3. Once a day 4. Twice a day 5. 3 - 11 times a day 6. 6 - 23 hours 7. 24-hour continuous	
S6f	Special Ports/Central Lines/PICC Y/N/U	
S6g	At what developmental level is the individual functioning? 1. < 1 Infant 2. 1 - 2 Toddler 3. 3 - 5 Pre-School 4. 6 - 10 School age 5. 11 - 15 Young Adolescence 6. 16 - 20 Older Adolescence Unknown or unable to assess	
S6h	Enter the number of times this individual has fallen in the last 90 days	
S6i	In how many of the falls listed above was the person physically restrained prior to the fall?	
S6j	In the falls listed in S6h above, how many h following contributory factors? (More than factor may apply to a fall. Indicate the num falls for each contributory factor.)	one
1	Environmental (debris, slick or wet floors, lighting, etc.)	
2	Medication(s)	
3	Major Change in Medical Condition (Myocardial Infarction (MI/Heart Attack), Cerebrovascular Accident (CVA/Stroke), Syncope (Fainting), etc.)	
4	Poor Balance/Weakness	
	Confusion/Disorientation	
5		

S7. Physician's Evaluation & Recommendation

S7a	Did an MD/DO certify that this		
	individual requires nursing facility		
	services or alternative community		
	based services under the supervision		
	of an MD/DO?	Y/N	
S7b	Did a military physician p	roviding	
	healthcare according to r	equirements	
	stipulated in 10 US Code	1094	
	provide the evaluation ar	nd	
	recommendation for this	individual?	
		Y/N	
S7c	MD/DO Last Name		
S7d	MD/DO License #		
S7e	MD/DO License State		
	ite Physician Signature on ired for Initial Assessment		g box
	bllowing MD/DO informati ed in Texas.	on is required if	f MD/DO is not
S7f	MD/DO First Name		
S7g	MD/DO Address		
S7h	MD/DO City		
S7i	MD/DO State		
S7j	MD/DO ZIP Code		
S7k	MD/DO Phone		

S9. Medications

List all medications that the individual received during the last 30 days. Include scheduled medications that are used regularly, but less than weekly.

Medication Certification: I certify this individual is taking no medications OR the medications listed below are correct

1. Medication Name and Dose Ordered	2. RA	3. Freq	4. PRN-n

S10. Comments

S11.	Advance	Care	Planning
------	---------	------	----------

S11a	legally authorized representative? Y/N	
S11b	Does the individual/caregiver report having a Directive to Physicians and Family or Surrogates? Y/N	
S11c	Does the individual/caregiver report having a Medical Power of Attorney? Y/N	
S11d	Does the individual/caregiver report having an Out-of-Hospital Do Not Resuscitate Order? Y/N	

S12. LAR Address

Required if individual/caregiver has reported having a legally authorized representative.			
0.24	LAR First Name		
S12b	LAR Last Name		
S12c	Address		
S12d	City		
S12e	State		
S12f	ZIP Code		
S12g	Phone		